

ROKSET PRO PINNACLE WALL BRUSH



Product Code	Size	Ferrule Thickness	Spacer Plugs	Full Filament Length	Combined Filament Weight
22946	38mm	16.8mm	2	78mm	35.2g
22953	50mm	19.9mm	2	85mm	56.1g
22960	63mm	20.0mm	1	89mm	88.0g
22977	75mm	22.2mm	2	92mm	107.8g
22984	88mm	22.8mm	2	100mm	136.4g

PRODUCT CONSTRUCTION

- 65% SRT PBT 0.18mm filament, 35% SRT PET 0.18mm filament
 - Solid Round Tapered filament gives superior pick-up & release, while dramatically improving smoothness & finish.
 - Premium PBT filament is soft yet has excellent stiffness, high abrasion resistance, and bend recovery, while also retaining wet stiffness in latex & water based paints.
 - PET filament increases the stiffness of the brush, while also retaining wet stiffness in latex & water-based paints.
 - Both filaments are round and smooth in shape.
 - This mixture of filaments is chosen due to it being the optimal combination of rigid & soft.
 - Both filaments are solvent resistant.
- Epoxy bonded filament for strong attachment with no loose filament.
- Stainless steel, riveted ferrule for anti-rust properties & added durability.
- 2-piece ferrule with aluminium insert resulting in superior epoxy durability dramatically increasing lifespan.
- Varnished hardwood handle results in high durability and an excellent hand feel, while being resistant to swelling & bowing.
- 'Flat Beaver Tail Handle' design is shaped to fit perfectly into the palm of the hand, ideal for long flat strokes.

DESIGNED FOR

The handle type, longer filament, and convex shape of the bristles make these brushes ideal for painting large surface areas like open walls. This brush is designed for professional painters who have greater demands from their brushes and are built-to-last with proper care. The high filament count gives this brush exceptional pick-up & release ability and gives a superior finish.

USAGE AND STORAGE CONDITIONS

These brushes are ideal for uses with most paints. Brushes should be cleaned thoroughly after every use to prolong life.

ROKSET PRO PINNACLE OVAL CUTTER BRUSH



Product Code	Size	Ferrule Thickness	Spacer Plugs	Full Filament Length	Combined Filament Weight
30651	25mm	11.5mm	1	59mm	11.0g
30668	38mm	14.3mm	1	70mm	24.2g
30675	50mm	15.3mm	1	78mm	41.8g
30682	63mm	17.8mm	1	85mm	55.0g
30699	75mm	19.3mm	1	89mm	80.7g

PRODUCT CONSTRUCTION

- 65% SRT PBT 0.18mm filament, 35% SRT PET 0.18mm filament
 - Solid Round Tapered filament gives superior pick-up & release, while dramatically improving smoothness & finish.
 - Premium PBT filament is soft yet has excellent stiffness, high abrasion resistance, and bend recovery, while also retaining wet stiffness in latex & water based paints.
 - PET filament increases the stiffness of the brush, while also retaining wet stiffness in latex & water-based paints.
 - Both filaments are round and smooth in shape.
 - This mixture of filaments is chosen due to it being the optimal combination of rigid & soft.
 - Both filaments are solvent resistant.
- Epoxy bonded filament for strong attachment with no loose filament.
- Stainless steel, riveted ferrule for anti-rust properties & added durability.
- 2-piece ferrule with aluminium insert resulting in superior epoxy durability dramatically increasing lifespan.
- Varnished hardwood handle results in high durability and an excellent hand feel, while being resistant to swelling & bowing.
- 'Long Handle' design is shaped to hold like a pencil allowing rolling it for maximum control, ideal for precision painting.

DESIGNED FOR

The handle type of this brush gives the painter greater control while the oval shape of the ferrule results in concentration of filament around the middle. This type of design delivers thinner paints and varnishes better while giving maximum control and is ideal for door frames, door jams, window sashes, etc. This brush is designed for professional painters who have greater demands from their brushes and are built-to-last with proper care. The high filament count gives this brush exceptional pick-up & release ability and a superior finish.

USAGE AND STORAGE CONDITIONS

These brushes are ideal for uses with most paints. Brushes should be cleaned thoroughly after every use to prolong life.

ROKSET PRO PINNACLE SASH CUTTER BRUSH



Product Code	Size	Ferrule Thickness	Spacer Plugs	Full Filament Length	Combined Filament Weight
22991	38mm	14.4mm	2	70mm	24.2g
23011	50mm	15.2mm	1	80mm	46.2g
23028	63mm	16.6mm	1	85mm	63.8g
23035	75mm	17.3mm	2	92mm	82.5g

PRODUCT CONSTRUCTION

- 65% SRT PBT 0.18mm filament, 35% SRT PET 0.18mm filament
 - Solid Round Tapered filament gives superior pick-up & release, while dramatically improving smoothness & finish.
 - Premium PBT filament is soft yet has excellent stiffness, high abrasion resistance, and bend recovery, while also retaining wet stiffness in latex & water based paints.
 - PET filament increases the stiffness of the brush, while also retaining wet stiffness in latex & water-based paints.
 - Both filaments are round and smooth in shape.
 - This mixture of filaments is chosen due to it being the optimal combination of rigid & soft.
 - Both filaments are solvent resistant.
- Epoxy bonded filament for strong attachment with no loose filament.
- Stainless steel, riveted ferrule for anti-rust properties & added durability.
- 2-piece ferrule with aluminium insert resulting in superior epoxy durability dramatically increasing lifespan.
- Varnished hardwood handle results in high durability and an excellent hand feel, while being resistant to swelling & bowing.
- 'Square Handle' design is shaped so the thumb and index finger fit comfortably for excellent control when cutting in.

DESIGNED FOR

The handle type of this brush, as well as the thinner ferrule with a lower filament count, gives the painter greater control and is therefore ideal for cutting in. This brush is designed for professional painters who have greater demands from their brushes and are built-to-last with proper care. The high filament count gives this brush exceptional pick-up & release ability and give a superior finish.

USAGE AND STORAGE CONDITIONS

These brushes are ideal for uses with most paints. Brushes should be cleaned thoroughly after every use to prolong life.

ROKSET PRO PINNACLE ANGLED SASH CUTTER BRUSH



Product Code	Size	Ferrule Thickness	Spacer Plugs	Full Filament Length	Combined Filament Weight
30705	25mm	10.0mm	1	59mm	13.2g
23042	38mm	10.2mm	1	64mm	19.8g
23059	50mm	11.6mm	1	72mm	29.7g
23066	63mm	14.5mm	1	78mm	60.5g

PRODUCT CONSTRUCTION

- 65% SRT PBT 0.18mm filament, 35% SRT PET 0.18mm filament
 - Solid Round Tapered filament gives superior pick-up & release, while dramatically improving smoothness & finish.
 - Premium PBT filament is soft yet has excellent stiffness, high abrasion resistance, and bend recovery, while also retaining wet stiffness in latex & water based paints.
 - PET filament increases the stiffness of the brush, while also retaining wet stiffness in latex & water-based paints.
 - Both filaments are round and smooth in shape.
 - This mixture of filaments is chosen due to it being the optimal combination of rigid & soft.
 - Both filaments are solvent resistant.
- Epoxy bonded filament for strong attachment with no loose filament.
- Stainless steel, riveted ferrule for anti-rust properties & added durability.
- 2-piece ferrule with aluminium insert resulting in superior epoxy durability dramatically increasing lifespan.
- Varnished hardwood handle results in high durability and an excellent hand feel, while being resistant to swelling & bowing.
- 'Rat Tail Handle' design is shaped to hold like a pencil for excellent control, ideal for painting window and door frames.

DESIGNED FOR

The handle type of this brush, as well as the thinner ferrule with a lower filament count, gives the painter greater control. This and the angled profile of the filament make this brush ideal for cutting in sharper angled spaces. This brush is designed for professional painters who have greater demands from their brushes and are built-to-last with proper care. The high filament count gives this brush exceptional pick-up & release ability and a superior finish.

USAGE AND STORAGE CONDITIONS

These brushes are ideal for uses with most paints. Brushes should be cleaned thoroughly after every use to prolong life.